Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	(residual) with value same access\$3 same (previous or prior) with (residual) with value AND (726/2.3.4, 16, 17,21,22,23.26, 27,30.cds. 713/168,179.cds. 380/1,59.cds.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/24 16:28
L3	0	(residual) AND client puzzles AND (@pd<*20040414" or @ad<*20040414" or @prad<*20040414" or @rlad<*20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/24 16:28
L4	0	(residual residue) AND client puzzles AND (@pd<*20040414* or @ad<*20040414* or @prad<*20040414* or @rlad<*20040414*)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/24 16:28
L5	12	(residual residue) AND (proof NEAR work) AND (@pd<-"20040914" or @ad<-"20040414" or @prad<"20040414" or @rlad< "20040414")	US-PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/24 16:29
L6	0	(residual residue) AND (proof NEAR work) AND (726/2,3,4,16,17,21,22,23,26,27,30. cols. 713/168,179.cols. 380/1,59.cols.) AND (@pd<*20040414* or @ad<*20040414* or @prad<*20040414* or @flad<*20040414*)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/24 16:29
S1	691	726/22.cds. AND (@pd<"20040414" or @ad<"20040414" or @riad<"20040414" or @riad<"20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 15:39
S2	0	proof of work AND 726/22.csls. AND (@pd.<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 14:14
83	32	proof AND work AND 726/22.ccls. AND (@pds "20040414" or @ad< "20040414" or @prad< "20040414" or @rlad< "20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 14:14

		2101 0001011	,			
S4	4	(DCS OR denial of service) AND network AND proof AND work AND 726/22.cds. AND (@pd-2'00040414" or @adc "20040414" or @pradc "20040414" or @rladc "20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 14:20
S5	4	(DDOS OR DOS OR denial of service) AND network AND proof AND work AND 726/22. cds. AND (good-200040414" or @adc-"20040414" or @rlad< "20040414" or @rlad< "20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 14:15
S6	59	threshold AND (DDOS OR DOS OR denial of service) AND network AND 726/22.cds. AND (@pd-20040414" or @ad<-"20040414" or @nad<-"20040414" or @nad<-"20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 14:21
S7	5	proof AND threshold AND (DDOS OR DOS OR denial of service) AND network AND 726/22.cs. AND (@dot 20040414" or @adc "20040414" or @rlad< "20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 14:22
S8	30	intrusion AND threshold AND (DDCS CR DCS CR denial of service) AND network AND 726/22.cols. AND (@pd<*20040414* or @adc*'20040414" or @rlad<*20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 14:24
S9	30	(work OR process\$3 OR operat\$4 OR calculat\$4 OR crunch\$3) AND intrusion AND threshold AND (DDOS OR DOS OR denial of service) AND network AND 726/22.cds. AND (@pd "20040414" or @ad< "20040414" or @rad< "20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 15:25
S10	0	computational work AND intrusion AND threshold AND (DDCS CR DOS CR denial of service) AND retwork AND 726/22.cds. AND (@pd-*20040414" or @pad-*20040414" or @nad-*20040414" or @nad-*20040414" or @nad-*20040414"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 15:26
S11	0	(computational WITH work) AND intrusion AND threshold AND (DDOS OR DOS OR denial of service) AND network AND 726/22 cats. AND (@pd.* 20040414* or @adc.* 20040414* or @prad<* 20040414* or @iladc.* 20040414*)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 15:26

		Biol ocaron	,			
S12	0	(computational NEAR work) AND intrusion AND threshold AND (DDCS OR DOS OR denial of service) AND network AND 726/22.cds. AND (@pd "20040414" or @ad< "20040414" or @prad< "20040414" or @itad< "20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 15:26
S13	0	(computational SAME work) AND intrusion AND threshold AND (DDCS GR DOS OR denial of service) AND network AND 726/22.cds. AND (@pd "20040414" or @ad< "20040414" or @prad< "20040414" or @ilad< "20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 15:26
S16	0	(computational task OR computational work OR computational interrogation OR client puzzle OR computation task OR computation work) AND denial of service AND ("726" das. OR "713" das. OR "880" das.) AND (@pd< "20040414" or @prad< "20040414" or @prad< "20040414" or @flad< "20040414" or	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 15:41
S17	18	(computational task OR computational work OR computation Interrogation OR client puzzle OR computation task OR computation work) AND (DDCS OR DCS OR denial of service) AND ("726" das. OR "713" das. OR "380" das.) AND (@pdc "20040414" or @adc "20040414" or @pradc "20040414" or @ladc "20040414" or "	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 15:42
S18	4	"6944663", pn. OR "7197639", pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 17:24
S19	6555	accumulat\$ AND work AND ("726".das. OR "713".das. OR "736".das. OR "7705".das.) AND (@pdc-"20040414" or @rlad< "20040414" or @rlad< "20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 09:56
\$20	952	proof AND accumulat\$ AND work AND (1726".clas. OR "731".das. OR "380".clas. OR "380".clas. OR "050".clas.) AND (@pd-*20040414" or @prad< "20040414" or @rlad< "20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 09:57
S21	598	data AND volume AND proof AND accumulats AND work AND ("726".das. OR "713".das. OR "380".das. OR "705".das.) AND (@pd<-"20040414" or @prad<-"20040414" or @prad<-"20040414" or @flad<-"20040414" or @flad<-"20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 09:58

		LAGI Ocaicii i				
S22	321	threshold AND data AND volume AND proof AND accumulat§ AND work AND ("726". das. OR "73" das. OR "380" das. OR "705" clas.) AND (@pd<"20040414" or @ad<"20040414" or @rad<"20040414" or @rad<"20040414"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 09:58
\$23	21	threshold AND data AND volume AND proof AND accumulats AND work AND ("726/2,3, 4,16,17,2,12,23,26,27,30" cds.) AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:01
\$24	116	threshold AND data AND accumulat\$ AND work AND ("726/2,3,4,16,17,21,22,23,26, 27,30".cds), AND (@dot "20040414" or @add="20040414" or @rlad="20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:01
S25	116	threshold AND accumulat\$ AND work AND ("726/2,3,4,16,17,21,22,23,26,27,30".cds.) AND (@pd-2'0040414" or @ad< "20040414" or @rlad< "20040414" or @rlad< "20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:04
\$26	0	threshold AND (accumulat\$ WITH work) AND ("726/2,3,4,16,17,21,22,23,26,27,30". cds) AND (@dd-"2004041" or @ad<"20040414" or @prad<"20040414" or @rlad< "20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:04
\$27	7	threshold AND (accumulat\$ SAME work) AND ("726/2,3,4,16,17,21,22,23,26,27,30". cds). AND (@dd-"2004041" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:04
\$28	4	threshold AND accumulats AND proof WITH work AND ("726/2,3,4,16,17,21,22,23,26,27,30" ods.) AND (@pd<"20040414" or @adc."20040414" or @plad<"20040414" or @rlad<"20040414" or @rlad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:06
S29	0	threshold AND accumulat\$ AND work AND puzzle AND ("726/2,3,4,16,17,21,22,23,26, 27,30" cols.) AND (@dot "20040414" or @ad< "20040414" or @rlad< "20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:10

		EAST Search	iistoi y			
\$30	66	threshold AND computational AND effort AND ("726/2,3,4,16,17,21,22,23,26,27,30". cds.) AND (@dd-"2004041" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:22
S31	5	hashcash AND threshold AND (DOS OR DDOS OR denial of service) AND ("726/2,3, 4,16,17,2,12,23,82,67,30" cds.) AND (@pd<*20040414" or @ad<*20040414" or @ptad<*20040414" or @riad<*20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:33
\$32	5	(cumulat\$3 OR accumulat\$3) AND hashcash AND threshold AND (DOS OR DDOS OR denial of service) AND ("726/2,3, 4,16,17,21,22,23,26,27,30".cols), AND ("@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @riad<"20040414" or	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:34
\$33	23	(cumulat\$3 OR accumulat\$3) AND (hashcash OR puzzle CR diffie\$ OR proof of work) AND threshold AND (DOS CR DDOS OR denial of service) AND ("726/2,3,4,16, 17,21,22,23,26,27,30".cds.) AND ("2040414" or @pd<"20040414" or @ad<"20040414" or @grad<"20040414" or @grad<"20040414")	US-PGPUB; USPAT; USCOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:38
\$34	23	(cumulat\$3 OR accumulat\$3) AND (hashcash OR puzzle OR diffie\$ OR proof of work OR computational effort OR computational effort OR computational work) AND threshold AND (DOS OR DDOS OR denial of service) AND ("726/2,34,16,17,21,22,23,62,7,30".cds.) AND (@pd<"20040414" or @prad<"20040414" or @prad<"20040414" or @fad<"20040414")	US-PGPUB; USPAT; USCOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:39
\$35	26	(hashcash OR puzzle CR diffies OR proof of work CR computational effort CR computational work) AND threshold AND (DOS OR DDOS OR denial of service) AND ("726/2,3/16,1721,22,23,26,27,30", cds.) AND (@pdc-"20040414" or @prad<"20040414" or @prad<"20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:39
\$36	48	solution AND verification AND threshold AND (DOS OR DDOS OR denial of service) AND ("726/2,3,4,16,17,21,2,23,26,27,30". cds.) AND (@dd-"20040414" or @ad<"20040414" or @prad<"20040414" or @riad-"20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:40

\$37	4	"7197639".pn. "6944663".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 15:06
\$38	29	accumulated AND computational AND (work CR task) AND (proof CR puzzle) AND (726/2,3,4,16,17,21,2,2,3,26,27,30,cds.] 713/168,179,cds.] 380/1,59,cds.] AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @riad<"20040414" or	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 14:11
\$39	109	(collect\$3 accumulat\$3) AND computational AND (work OR task) AND (proof OR puzzle) AND (?626/2,3.4,16,17, 21,22,23,26,27,30.cds. 713/168,179.cds. 380/1,59.cds. ND (@pd<*20040414" or @ad<*20040414" or @prad<*20040414" or @prad<*20040414" or @prad<*20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 14:14
S40	405	(colleat\$3 accumulat\$3) AND (comput\$7) AND (work CR task) AND (proof CR puzzle) AND (726/23,416,17.21,22.23,26,27.30. cds. 713/168,179.cds. 380/1,59.cds.) AND (@pd<*20040414* or @ad<*20040414* or @prad<*20040414* or @fida<*20040414*	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 14:15
S41	4	baugher.in. AND (726/2,3,4,16,17,21,22, 23,26,27,30.cds. 713/168,179.cds. 380/1,59.cds.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 14:18
S42	25	Intrusion (detection prevention) AND access control AND (collect\$3] accumulat\$3) AND (comput\$7) AND (work OR task) AND (proof CR puzzle) AND (726'2.3,4'1.61,72.12.2.3,26.27,30.cds. 713'168,179.cds. 380'1.59.cds.) AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @prad<"20040414" or	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 14:19
S43	142	baugher.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 14:19
S44	6	baugher.in. AND "726".das.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 14:19

		E to rocaron	,			
S45	5	baugher.in. AND "713".das.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 14:19
S46	2	baugher.in. AND "380".clas.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 14:19
S47	47	baugher.in. AND network	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 14:20
S48	2	baugher.in. AND network AND proof	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 14:20
S49	1	baugher.in. AND network AND proof AND work	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 14:21
S50	1	(proof NEAR work) AND (collect\$3 accumulat\$3) AND (comput\$7) AND (work CR tasks) AND (proof CR puzzle) AND (726/2,3,4,16,17,21,22,23,26,27,30.cds. 713/168,179.cds. 380/1,59.cds.) AND (@pd<*20040414" or @ad<*20040414" or @ad<*20040414" or @prad<*20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 14:22
S51	31	(proof WITH work) AND (collect\$3 accumulat\$3) AND (comput\$7) AND (work CR task) AND (proof CR puzzie) AND (726/2,3,4,16,17,21,22,23,26,27,30.cds. 713/168,179.cds. 380/1,59.cds.) AND (@pd<*20040414" or @ad<*20040414" or @ad<*20040414" or @prad<*20040414" or @idad<*20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 14:22
S52	1	(proof\$work) AND (collect\$3 accumulat\$3) AND (comput\$7) AND (work OR task) AND (proof OR puzzle) AND (726/2,34,16,17,21,22,23,26,27,30.cds. 713/168,179.cds. 380/1,59.cds.) AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @prad<"20040414" or @https://doi.org/10.0004014" or @prad<"20040414" or @https://doi.org/10.0004014" or @https:	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 14:23

		2 to roouron	,			
\$53	22	puzzle AND (collect\$3 accumulat\$3) AND (comput\$7) AND (726/2,3.4,16,17.21,22, 23,26,27.30 cols. 713/168,179.cos. 3801,59.cos. 3801,59.cos. 3801,59.cos. 3801,59.cos. 3802 cols. 713/169.cos. 3801,69.cos. 3802 cols. 3802	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 14:30
S54	31	(proof WITH work) AND (collect\$3 accumulat\$3) AND (comput\$7) AND (work OR task) AND (726/2,3 4,16,17.21,22,23, 26,27,30.cds. 713/168,179.cds. 380/1, 59.cds.) AND (@pd<*20040414* or @pad<*20040414* or @prad<*20040414* or @flad<*20040414*)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 14:30
S55	1	"5919257".PN.	USPAT; USOCR	ADJ	ON	2008/07/23 14:36
S56	1	"6236972".PN.	USPAT; USOCR	ADJ	ON	2008/07/23 14:36
S57	1	"6341353".PN.	USPAT; USOCR	ADJ	ON	2008/07/23 14:36
S58	1	"6424971".PN.	USPAT; USOCR	ADJ	ON	2008/07/23 14:37
S59	1	"6519571".PN.	USPAT; USOCR	ADJ	ON	2008/07/23 14:37
\$60	2	(proof NEAR work) AND (726/2,3,4,16,17, 21,22,23,26,27,30.cds. 713/168,179.cds. 380/1.59.cds. AND (@pd<"20040414" or @ad<"20040414" or @rlad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 15:00
S61	230	(proof NEAR work) AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 15:01
S62	55	network AND (proof NEAR work) AND (@pd< "20040414" or @ad< "20040414" or @prad< "20040414" or @rlad< "20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 15:01
S63	44	access AND network AND (proof NEAR work) AND (@pd< "20040414" or @ad< "20040414" or @prad< "20040414" or @rad< "20040414" or @rad< "20040414"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 15:01

		LACT OCATOR I				
S64	42	(generat\$3 collect\$3 accumulat\$3) AND access AND network AND (proof NEAR work) AND (god> "20040414" or @ad< "20040414" or @rlad< "20040414" or @rlad< "20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 15:02
965	16	threshold AND (generat\$3 collect\$3 accumulat\$3) AND access AND network AND (proof NEAR work) AND (@pd<*20040414" or @ad<*20040414" or @prad<*20040414" or @riad<*20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 15:02
S66	19	dient puzzles AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 15:06
S67	19	(generat\$3 collect\$3 accumulat\$3) AND client puzzles AND (@pd< "20040414" or @acd = "20040414" or @rad< "20040414" or @rlad< "20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 15:07
S68	4	threshold AND (generat\$3 collect\$3 accumulat\$3 repeat\$3) AND dient puzzles AND (@pd-2*20040414" or @ad<*20040414" or @rlad<*20040414" or @rlad<*20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 15:07
S 69	4	(accumulat\$3 add\$3 cumulat\$3) with value same cookie same access\$3 and (previous or prior) with (accumulat\$3 add\$3 cumulat\$3) with value	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/24 08:41
S70	4	"7265859".pn. "20050086213".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/24 08:41
S71	8	("5745681" "5889952" "5978792" "632133 9").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/24 08:45

			,			
S72	673	(accumulat\$3 add\$3 cumulat\$3) with value same access\$2 same (previous or prior) with (accumulat\$3 add\$3 cumulat\$3) with value	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/24 13:29
S73	673	((accumulat\$3 add\$3 cumulat\$3) with value) same access\$3 same ((previous or prior) with (accumulat\$3 add\$3 cumulat\$3) with value)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/24 13:30
S74	368	((accumulat\$3 add\$3 cumulat\$3) adj5 value) same access\$3 same ((previous or prior) with (accumulat\$3 add\$3 cumulat\$3) with value)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/24 13:31
S75	49	((accumulat\$3 add\$3 cumulat\$3) adj5 value) same access\$2 same ((previous or prior) with ((accumulat\$\$ add\$3 cumulat\$3) adj value))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/24 13:31
S76	7	(accumulat\$3 add\$3 cumulat\$3) with value same access\$3 same (previous or prior) with (accumulat\$3 add\$5 cumulat\$3) with value AND (726/2,3.4,16,17,21,22,23,26, 27,30.cds.] 713/168,179.cds.] 380/1,59.cds.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/24 13:32